

# Safety Checks

At the Nest we take reasonable steps to ensure the safety of children, staff and others on the premises including carrying out safety checks on a regular basis in accordance with the timescales set out in the nursery checklists table at the end of this policy

These include daily safety checks of the premises, indoors and outdoors, and all equipment and resources before the children access any of the areas.

This policy should be read in conjunction with the fire safety, risk assessments, visits and outings and the equipment and resources policies.

All staff are trained in health and safety to raise awareness. Staff knowhow to recognise potential hazards including near misses in the nursery environment and monitor safety at all times.

## **Risk assessments**

Risk assessments document the hazard, who could be harmed, existing controls, the seriousness of the risk/injury, any further action needed to control the risk, who is responsible for what action, when/how often will the action be undertaken, and how will this be monitored and checked and by whom.

The nursery carries out written risk assessments at least annually. These are regularly reviewed and cover potential risks to children, staff and visitors at the nursery. When circumstances change in the nursery, e.g. a significant piece of equipment is introduced or new activity/experience; we review our current risk assessment or conduct a new risk assessment dependent on the nature of this change.

All staff are trained in the risk assessment process to ensure understanding and compliance of how they manage risks.

All outings away from the nursery are individually risk assessed. For more details refer to the visits and outings policy.

## **Electrical equipment**

- All electrical cables are kept out of the reach of children wherever possible and shielded by furniture where they need to be at floor level
- Electrical sockets are all risk assessed and any appropriate safety measures are in place to ensure the safety of the children.

Personal Appliance Testing occurs annually by competent person.

## **Mains information**

Locations of:

- Water stop tap: Utility room, back, right between two big black pipes
- Fuse box: Cupboard on the right hand side of the corridor, by adult toilet
- Main electricity box: Cupboard on the right hand side of the corridor / Cupboard in the adult WC.

**Dangerous substances**

All dangerous substances including chemicals MUST be kept in locked areas out of children's reach. All substances must be kept in their original containers with their original labels attached. Safety Data Sheets (Control of Substances Hazardous to Health (COSHH)) and risk assessments must be kept for all substances and the appropriate personal protection taken and used e.g. gloves, apron and goggles.

**Hot drinks and food**

Hot drinks must only be consumed in the office room. No canned drinks, sweets or crisps are to be kept or consumed in the nursery rooms.

**Transport and outings**


The nursery has a comprehensive documented policy relating to outings, which incorporates all aspects of health and safety procedures including the arrangements for transporting and the supervision of children when away from the nursery.

**Room temperatures**

- Staff should be aware of room temperatures in the nursery and should ensure that they are suitable at all times and recorded on the appropriate sheet. There is a thermometer in each room to ensure this is monitored
- Staff must always be aware of the dangers of babies and young children being too warm or too cold
- Temperatures should not fall below 18°C in the baby rooms and 16°C in all other areas

**Water supplies**

- A fresh drinking supply is available and accessible to all children, staff and visitors
- All hot water taps accessible to children are thermostatically controlled to ensure that the temperature of the water does not exceed 40°C.

This policy was adopted on	Signed on behalf of the nursery	Date for review
01/05/2025		01/05/2026